Author Index

Babu, G.R.V., Wolfram, J.H., Chapatwala, K.D.
Conversion of sodium cyanide to carbon dioxide and ammonia by immobilized cells of *Pdeudomonas putida*, 235
Bagby, M.O., see Hou, C.T., 103
Bajpai, P., see Bajpai, P.K., 11
Bajpai, P.K., Bajpai, P., Ward, O.P.
Optimisation of culture conditions for production of eicosapentaenoic acid by *Mortierella elongata* NRRL 5513, 11
Bealin-Kelly, F.J.D., Kelly, C.T., Fogarty, W.M.
Chemical modification of the α-amylase of *Bacillus caldovelox* with diethyl pyrocarbonate: evidence for an essential histidine at the active site, 63
Bernier-Cardou, M., see Morin, N., 131
Bogosian, G., Morris, P.J.L., Hale, M.D., Kane, J.F.
Fate in water of a recombinant *Escherichia coli* K-12 strain used in the commercial production of bovine somatotropin, 27
Breen, A., Jimenez, L., Sayler, G.S., Federle, T.W.
Plasmid incidence and linear alkylbenzene sulfonate biodegradation in wastewater and pristine pond ecosystems, 37
Büchi, G.H., see Lin, T.F., 173

Cailas, M.D., see De Roubin, M.-R., 69
Champagne, C.P., see Morin, N., 131
Chapatwala, K.D., see Babu, G.R.V., 235
Clark, T.R., Ehrlich, H.L.
Copper removal from an industrial waste by bioleaching, 213
Cooper, R., see Sedlock, D.M., 45

D'Amore, T., see Ernandes, J.R., 127
D'Amore, T., see Odumeru, J.A., 229
De Roubin, M.-R., Cailas, M.D., Shen, S.-H., Groleau, D.
Some factors influencing the proportion of periplasmic hepatitis B virus pre-S2 antigen in the recombinant yeast *Hansenula polymorpha*, 69
Demain, A.L., see Lin, T.F., 173
Desjardins, A.E., Gardner, H.W., Weltring, K.-M.
Detoxification of sesquiterpene phytoalexins by *Gibberella pulicaris* (*Fusarium sambucinum*) and its importance for virulence on potato tubers, 201
Dietrich, D.M., see Lamar, R.T., 181
Dowd, P.F.
Insect fungal symbionts: a promising source of detoxifying enzymes, 149
Du Preez, J.C., see Meyer, P.S., 109

Ebude, N.K., Udeala, O.K., Ghobashy, A.A.
Isolation and characterization of a novel polysaccharide from *Bacillus licheniformis* NCIB 11634, 239
Ehrlich, H.L., see Clark, T.R., 213
Ernandes, J.R., D'Amore, T., Russell, I., Stewart, G.G.
Regulation of glucose and maltose transport in strains of *Saccharomyces*, 127

Federle, T.W., see Breen, A., 37
Fogarty, W.M., see Bealin-Kelly, F.J.D., 63

Gardner, H.W., see Desjardins, A.E., 201
Ghobashy, A.A., see Ebube, N.K., 239
Gillum, A.M., see Sedlock, D.M., 45
Groleau, D., see De Roubin, M.-R., 69
Guckert, J.B., see Hedrick, D.B., 193
Gunasekaran, M., see Subburaj, K., 225
Gura, E., see Rau, U., 19

Hale, M.D., see Bogosian, G., 27
Han, Y.W., Watson, M.A.
Production of microbial levan from sucrose, sugarcane juice and beet molasses, 257
Hayashi, T., see Hayashi, S., 247
Hayashi, S., Hayashi, T., Kinoshita, J., Takasaki, Y., Imada,K.
Immobilization of β-fructofuranosidase from *Aureobasidium* sp. ATCC 20524 on porous silica, 247
Hayashi, S., Nonoguchi, M., Shimokawa, Y., Tubouchi, M., Takasaki, Y., Imada, K.
Purification and properties of extracellular β-fructofuranosidases from *Aureobasidium* sp. ATCC 20524, 145
Hayashi, S., Nonoguchi, M., Shimokawa, Y., Takasaki, Y., Imada, K.
Effect of deglycosylation on the properties of β-fructofuranosidase *P*-1 from *Aureobasidium* sp. ATCC 20524, 251
Hedrick, D.B., White, T., Guckert, J.B., Jewell, W.J., White, D.C.
Microbial biomass and community structure of a phase-separated methanogenic reactor determined by lipid analysis, 193
Hou, C.T., Bagby, M.O.
10-Hydroxy-8(Z)-octadecenoic acid, an intermediate in the bioconversion of oleic acid to 7,10-dihydroxy-8(E)-octadecenoic acid, 103

Igarashi, Y., Watanabe, S.
Antimicrobial activities of 2-arylthio-*N*-alkylmaleimides, 91
Imada, K., see Hayashi, S., 145
Imada, K., see Hayashi, S., 247
Imada, K., see Hayashi, S., 251

Jayaraman, S., see Subburaj, K., 225
Jewell, W.J., see Hedrick, D.B., 193
Jimenez, L., see Breen, A., 37

Kane, J.F., see Bogogian, G., 27
Kasai, N., Tsujimura, K., Unoura, K., Suzuki, T.
Preparation of (S)-2,3-dichloro-1-propanol by *Pseudomonas* sp. and its use in the synthese of (R)-epichlorohydrin, 97
Kawaoka, K., see Sedlock, D.M., 45
Kelly, CT., see Bealin-Kelly, F.J.D., 63

Kilian, S.G., see Meyer, P.S., 109
Kinoshita, J., see Hayashi, S., 247
Komel, R., see Znidarsic, P., 115
Kothari, R.M., see Ramamurthy, V., 121

Lamar, R.T., Dietrich, D.M.
Use of lignin-degrading fungi in the disposal of pentachlorophenol-treated wood, 181
Li, X., Robbins, Jr., J.W., Taylor, K.B.
Effect of the levels of dissolved oxygen on the expression of recombinant proteins in four recombinant *Escherichia coli* strains, 1
Lin, T.F., Yakushijin, K., Büchi, G.H., Demain, A.L.
Formation of water-soluble *Monascus* red pigments by biological and semi-synthetic processes, 173

Martin, J.F.
Clusters of genes for the biosynthesis of antibiotics: regulatory genes and overproduction of pharmaceuticals, 73
Meyer, P.S., Du Preez, J.C., Kilian, S.G.
Cultivation of *Candida blankii* in simulated bagasse hemicellulose hydrolysate, 109
Morin, N., Bernier-Cardou, M., Champagne, C.P.
Production of *Lactococcus lactis* biomass by immobilized cell technology, 131
Morris, P.J.L., see Bogosian, G., 27

Nonoguchi, M., see Hayashi, S., 251
Nonoguchi, M., see Hayashi, S., 145

Odumeru, J.A., D'Amore, T., Russell, I., Stewart, G.G.
Changes in protein composition *Saccharomyces* brewing strains in response to heat shock and ethanol stress, 229
Olszewsk, E., see Rau, U., 19

Pavko, A., see Znidarsic, P., 115

Ramamurthy, V., Thacker, S.P., Kothari, R.M.
Optimized protocol for the pilot-scale preparation of fungal cellulase, 121
Rau, U., Gura, E., Olszewski, E., Wagner, F.
Enhanced glucan formation of filamentous fungi by effective mixing, oxygen limitation and fed-batch processing, 19
Robbins, Jr., J.W., see Li, X., 1
Russell, I., see Odumeru, J.A., 229
Russell, I., see Ernandes, J.R., 127

Sayler, G.S., see Breen, A., 27
Scheper, T.
Biosensors for process monitoring, 163
Schwarz, J.R., see Vanoy, R.W., 219
Sedlock, D.M., Sun, H.H., Smith, W.F., Kawaoka, K., Gillum, A.M., Cooper, R.
Rapid identification of teleocidins in fermentationbroth using HPLC photodiode array and LC/MS methodology, 45
Shen, S.–H., see De Roubin, M.-R., 69
Shimokawa, Y., see Hayashi, S., 251
Shimokawa, Y., see Hayashi, S., 145
Sisk, W.E., see Williams, R.T., 137
Smith, W.F., see Sedlock, D.M., 45
Stewart, G.G., see Odumeru, J.A., 229
Stewart, G.G., see Ernandes, J.R., 127
Subburaj, K., Jayaraman, S., Gunasekaran, M.
A simple method to study microbial coal solubilization using Pluronic F-127-amended media, 225
Sun, H.H., see Sedlock, D.M., 45
Sutherland, J.B.
Detoxification of polycyclic aromatic hydrocarbons by fungi, 53
Suzuki, T., see Kasai, N., 97

Takasaki, Y., see Hayashi, S., 145
Takasaki, Y., see Hayashi, S., 247
Takasaki, Y., see Hayashi, S., 251Tamplin, M.L., see Vanoy, R.W., 219
Taylor, K.B., see Li, X., 1
Thacker, S.P., see Ramamurthy, V., 121
Tsujimura, K., see Kasai, N., 97
Tubouchi, M., see Hayashi, S., 145

Udeala, O.K., see Ebube, N.K., 239
Unoura, K., see Kasai, N., 97

Vanoy, R.W., Tamplin, M.L., Schwarz, J.R.
Ecology of *Vibrio vulnificus* in Galveston Bay oysters, suspended particulate matter, sediment and seawater: detection by monoclonal antibody – immunoassay – most probable number procedures, 219

Wagner, F., see Rau, U., 19
Ward, O.P., see Bajpai, P.K., 11
Watanabe, S., see Igarashi, Y., 91
Watson, M.A., see Han, Y.W., 257
Weltring, K.-M., see Desjardins, A.E., 201
White, D.C., see Hedrick, D.B., 193
White, T., see Hedrick, D.B., 193
Willimans, R.T., Ziegenfuss, P.S., Sisk, W.E.
Composting of explosives and propellant contaminated soils under thermophilic and mesophilic conditions, 137
Wolfram, J.H., see Babu, G.R.V., 235

Yakushijin, K., see Lin, T.F., 173

Ziegenfuss, P.S., see Williams, R.T., 137
Žnidaršič, P., Pavko, A., Komel, R.
Laboratory-scale biosynthesis of *Trichoderma* mycolytic enzymes for protoplast release from *Cochliobolus lunatus*, 115

Subject Index

Acetate, 109
Acetogenesis, 193
Actinomycete, 45
Alignate, 131
Allelochemical, 149
Amino acids, 173
α-Amylase, 63
Antibacterial activity, 91
Antimicrobial activity, 91
κ-Arabinose, 109
2-Arylthio-*N*-alkylmaleimide, 91
Aureobasisium, 251

Bacillus licheniformis, 239
Bacillus polymyxa, 257
Bio-field effect transistor, 163
Biodegradation, 235
Biodegradation, 37
Bioleaching, 213
Biomarkers, 193
Biomass, 1, 109
Bioremediation, 53, 137
Biosensors, 163
Biosynthetic gene clusters, 73
Biotransformation, 53
Bovine somatotropin, 27
Branched β-1,3-glucan, 19

Candida blankii, 109
Cellulase production, 121
Cephalosporin, 73
Cephamycin, 73
Cheese, 131
Chemical modification, 63
Cluster analysis, 193
Coal solubilization, 225
Cochliobolus lunatus, 115
Composting, 137
Continuous production, 247
Control of expression, 73
Copper removal, 213
Cytochrome P-450, 53

Deglycosylation, 251
Derepression, 127
Detergent, 37
(S)-2,3-Dichloro-1-propanol, 97
Dissolved oxygen, 1
Dry-rot, 201

Eicosapentaenoic acid, 11
Endocytobiont, 149
Enzymatic stability, 251
Enzyme immunoassay, 219
Enzyme thermistor, 163
Ethanol tolerance, 229
Experimental design, 69
Explosives, 137

Fan-impeller, 19
Fatty acid bioconversion, 103
Fe medium, 213
Fermentation, 115, 193, 257
Fructan, 257
β-Fructofuranosidase, 251
Fructo-oligosaccharide, 145, 247
Fructosyl-transferring activity, 145
Fructosyl-transferring enzyme, 247

Gene probe, 37
Genetically engineered microorganisms, 27
Glucose, 127
D-Glucose, 239
Glycoprotein, 145
Gum, 257

Heat shock protein (HSP), 229
Histidine, 63
Hydroxy octadecenoic acid, 103

Immobilization, 235
Immunoassay, 163
Industrial waste, 213
Insecticide, 149

1-Kestose, 145, 247

β-Lactam antibiotics, 73
Lignin-degrading fungi, 181
Linear alkylbenzene sulfonate, 37
Lubimin, 201

Maltose, 127
D-Mannose, 239
Mesophilic, 137
Metabolism, 53
Methylotrophic yeast, 69
Methylpendolmycin, 45
Microbial resolution, 97
Minimum inhibitory concentration, 91
Monascus, 173
Monoclonal antibody, 219
Mortierella elongata, 11
Most probable number, 219
Mycolytic enzymes, 115
Mycotoxin, 149

Natural food color, 173
Novel polysaccharide, 239

Omega-3 fatty acids, 11
Optimized production medium and parameters, 121
Oxygen limitation, 19
Oyster, 219

PAHs, 53
Pendolmycin, 45
Penicillin, 73
Pentachlorophenol, 181
Periplasmic pre-S2 antigen, 69
Phanerochaete chrysosporium, 181
Phanerochaete sordida, 181
Phorbol ester, 45
Plasmid, 37
Plasmid content, 1
Pluronic F-127, 225
Polyol, 225
Polysaccharide, 257
Process control, 163
Process design, 19
Production, 131
Propellants, 137
Protein kinase C (PKC), 45
Protoplasts, 115
Pseudomonas putida, 235
Pseudomonas sp., 97

Raffia venifera, 239
Recombinant culture, 1
Recombinant protein, 69
Repression, 127
Rishitin, 201
River, 27

Saccharomyces, 127, 229
Shizophyllum commune, 19
Scleroticum glucanicum, 19
Secondary plant metabolite, 149
Secretion, 69
Semi-synthesis, 173
Sodium cyanide, 235
Solanum tuberosum, 201
Starters, 131
Stereospecific degradation of 2,3-dichloro-1-propanol, 97
Survival, 27
Sweetener, 257

Thermophilic, 137
Thermotolerance, 229
Thiobacillus ferrooxidans, 213
Toxin, 149
Transport, 127
Trichoderma viride, 115, 121

Viability, 229
Vibrio vulnificus, 219

Water-soluble pigments, 173
White-rot fungi, 181

D-Xylose, 109, 239

Yeast, 229